## Walter Reed Army Medical Center 6900 16th Street, N.W. Washington, DC 20307

#### PATIENT INFORMATION:

Patient: WRAMC VC-072M

Patient ID:

Study Date: 9/11/2002

Referring Physician: HWANG INKU

# INTRODUCTION:


### A 61 year old male presents with:


#### Screening


Others: 62 yo HM referred by PCM for colon cancer screening. Patient asx including no blood in stool, no wt loss, and no change in BM. Patient ave risk for colon cancer w/o first degree FH of colonic polyps, colon ca or polyposis syndromes. Patient w/o positive stool guiac test or h/o iron def anemia w/in past 6 months. Patient has had no prior evaluations for colon cancer screening including normal colonoscopies w/in 10 yrs, and normal ACBE w/in past 5 yrs. Patient w/o h/o adenomatous polyps, colorectal cancer, IBD, HNPCC or FAPS. No h/o rectal bleeding, hematochezia, or unintentional wt loss w/in past 12 months. Patient not pregnant or breast feeding and has no contraindications for colonoscopy in general or to fleets prep.

#### **COLON FINDINGS:**


(Supine) 8.5 x 8.5 mm round polyp identified in the sigmoid at 29.7 cm from rectum.










Walter Reed Army Medical Center 6900 16th Street, N.W. Washington, DC 20307









(Supine) Normal finding in the cecum at 177.8 cm from rectum.








NON DISTENDED AREAS (distances measured from rectum):

Segment Sigmoid 46.0 cm. - 50.1 cm. (Supine)



# **IMPRESSION**

- 9mm sessile polyp in the distal sigmoid colon.

J. Richard Choi, ScD, MD